






Name: SERVER6

Workgroup: SASSYISABADDOG

Address: 192.168.0.155

OS Version: v2.06 08-2007



© 2006 Server Elements - All Rights Reserved

NASLite-2™

Server Status



General:

This page provides information about the current NASLite-2 USB server settings, available services and their associated states.

PARAMETER	VALUE	DESCRIPTION
IP	192.168.0.155	Network Address
NETMASK	255.255.255.0	Subnet Mask
GATEWAY	0.0.0.0	Network Gateway or Router
TIME SERVER	0.0.0.0	Remote RFC 868 Compliant Time Server
NAME	SERVER6	NASLite-2 USB Server Name
WORKGROUP	SASSYISABADDOG	Windows Workgroup
PRODUCT	NASLite-2 USB	Operating System Type
VERSION	v2.06 08-2007	Operating System Version
UNLOCK*	VALID	Operating System Unlock Status.

SERVICE	STATUS*	DESCRIPTION
TELNET	<input checked="" type="checkbox"/> ENABLED	Remote administration server
HTTP	<input checked="" type="checkbox"/> ENABLED	HyperText Transfer Protocol (HTTP)
RSYNC	<input checked="" type="checkbox"/> READ ONLY	Directories and files synchronization server
FTP	<input checked="" type="checkbox"/> READ/WRITE	File Transfer Protocol (FTP)
SMB/CIFS	<input checked="" type="checkbox"/> READ/WRITE	Server Message Block (SMB) / Common Internet File System (CIFS)
NFS	<input checked="" type="checkbox"/> READ/WRITE	Network File System (NFS)
AFP	<input type="checkbox"/> DISABLED	Apple Filing Protocol (AFP)

* For full NAS functionality, SERVER6 must be unlocked. Refer to the [Unlock](#) page for details.

* If the READ/WRITE status of a storage volume is not enabled, that storage volume will not be writable. Refer to the [Server Storage](#) page for access status details on each individual volume.

NASLite-2™

Server Storage



Server Elements

General:

This page provides a summary of all available storage volumes. Storage capacities for local as well as currently mounted remote volumes are displayed. Disk temperature is displayed only for local disks that support S.M.A.R.T. and export the temperature attribute. Specific information pertaining to each individual storage disk can be viewed by clicking on the associated link below.

DISK	TOTAL	USED	FREE	STATUS*	S.M.A.R.T.	USAGE
System	7.7M	4.1M	3.7M	<input type="checkbox"/> UNAVAILABLE	<input type="checkbox"/> UNAVAILABLE	<div><div></div></div> USED 52%

* If the READ/WRITE status of a service is not enabled, storage volumes will not be writable via that service. Refer to the [Server Status](#) page for access status details on each individual service.

NASLite-2 USB v2.06 08-2007
Content updated every 1 min.
Last update Mon Sep 17 00:14:01 UTC 2012.

Linux
powered